

22
years
since 1997

sds®
Flyscreen and Curtain Systems




Almarde Plisse Series

Takmatic
Screw Free

Almardeenergy²⁶



Almardeenergy¹⁷




sds®
PRODUCTS
ARE
PATENTED


www.sdssystem.com



Almardeenergy²⁶



New generation plisse insect screen by SDS



Almardeenergy²⁶

A compatible design for every type of window and door.



- Affordable
- Easy installation and adjustment
- New profile design
- Pile weather strip system extended to the end
- New design take-up profile
- New special dual wheel bearing system



- NEW ROLLER BEARING
- ROPE SETUP INCLUDE THE CORNER
- EASY INSTALLATION
- EASY STOCKING WITH 2 PROFILES



New solutions from the S.D.S to the Insect Screen Industry. Special Technical Support for Customers from SDS



Possibility to use in 12 different languages



- Mistake-free Production
- Real Cost Analysis* Opportunity to see material in stock
- Sales Price Determination Techniques
- Sold Material Analysis



- Plisse flyscreen selection
- No-treshold plisse flyscreen production
- Multi-panel flyscreen production opportunity



Ability to register your company logo and company information and use it in all forms. Is constantly updated according to requirements.




It offers many opportunities such as Production Forms, Customer Analysis, Making Quotations, Sending Mail to Your Customer, Cutting your Production Line.

Continuous Innovation

Win & Win


Solution Partner Products



Continuous Innovation


Win & Win

Solution Partner Products




Almardeenergy

no treshold 8mm



8 mm



20 mm



Almardeenergy

no treshold 8mm



The width is 26 mm and the treshold profile's height is 8 mm.




Features



- Easy stocking as kits.
- Width and height can be adjustable.
- Low bottom treshold.8mm
- Easy to operate
- Knockdown delivery
- Multicolor options
- Hidden adjust system
- 100% polyester, rain and sun-heat resistant mesh



Almardeenergy¹⁷



Almardeenergy¹⁷



Affordable

Easy installation and adjustment

New profile design

Pile weather strip system extended to the end

New design take-up profile

New special dual wheel bearing system





- NEW ROLLER BEARING
- ROPE SETUP INCLUDE THE CORNER
- EASY INSTALLATION
- EASY STOCKING WITH 2 PROFILES



Takmatic


Screw Free

PLISSE WINDOW SYSTEM



Features of our easy-to-assemble pleat window fly screen.

1. It is a seamless product which can be used in systems such as shutters, shutters and railings that have zero bonding.
2. The product life will be prolonged if used in winter and used in summer months.
3. When you hide the mosquito nets with the windows closed, there is no loss of landscape in areas with sea or nature view.
4. The user can make the installation by himself / herself when ready to send.
5. The scale is taken from the seal to the seal zero.
6. The screws are not used in our assembly.
7. The newest user can easily dismantle, install and clean



Aydınlı Mah. Yanyol Cad. Melodi Sk.
Bilmo San. Sitesi No:2/49 34953 Tuzla / İstanbul / TURKEY
T_+90(216) 632 75 00 (Pbx) / F_+90(216) 631 82 02